

### **INVITATION TO BID NO. 2024-002**

The Zamboanga City Electric Cooperative, Inc. (ZAMCELCO) through its Bids and Awards Committee (BAC), invites all interested parties to participate in the Public Bidding for the following items:

## Lot 1: PR-100001616 PROCUREMENT OF ONE (1) LOT STEEL POLES FOR DPWH PROJECT.

No.	Description	Unit	Required Quantity
1.	POLE, STEEL, 35', BARE 3.0 MM, 86 MICRON, 500 KGS. (MIN. LOAD BREAK) (Item 1-6 of PR100001616)	UNITS	10

➤ APPROVED BUDGET FOR THE CONTRACT
 ⇒ SOURCE OF FUNDS
 ⇒ COST OF BIDDING DOCUMENTS
 ⇒ BIDDING STATUS
 : PHP 246,000.00
 : GENERAL FUND
 ⇒ PHP 500.00
 ⇒ BIDDING STATUS
 : 1<sup>ST</sup> BIDDING

# II. Lot 2: PR-100001616 PROCUREMENT OF ONE (1) LOT CONCRETE POLES FOR DPWH PROJECT.

No.	Description	Unit	Required Quantity
1.	POLE, CONCRETE, 45', CLASS 5, 1000 KGS. (MIN. LOAD BREAK)	UNITS	118
2.	POLE, CONCRETE, 35', CLASS 5, 1000 KGS. (MIN. LOAD BREAK)	UNITS	4
3.	FREIGHT AND HANDLING	LOT	5

> APPROVED BUDGET FOR THE CONTRACT : PHP 3,557,800.00
> SOURCE OF FUNDS : GENERAL FUND
> COST OF BIDDING DOCUMENTS : PHP 5,000.00
> BIDDING STATUS : 1⁵¹ BIDDING

## III. Lot 3: PR-100001592 PROCUREMENT OF ONE (1) LOT VARIOUS LINE MATERIALS

No.	Description	Unit	Required Qty	
1.	ANCHOR, EXPANDING 8-WAYS, HOT DIP GALVANIZED	PCS	65	
2.	SHACKLE, ANCHOR, 3/4", DROP FORGED STEEL, 69 KV	PCS	5	
3.	BOLT, CARRIAGE 3/8" X 6", HOT DIP GALV.	PCS	67	
4.	BOLT, DOUBLE ARMING 5/8" X 18", HOT DIP GALVANIZED	PCS	20	
5.	BOLT, DOUBLE ARMING 5/8" X 20", HOT DIP GALVANIZED PCS		32	
6.	BOLT, DOUBLE ARMING 5/8" X 22", HOT DIP GALVANIZED PCS		36	
7.	BOLT, DOUBLE ARMING 5/8" X 24", HOT DIP GALVANIZED		80	

991-2117

0917-307-1412

management@zamcelco.com.ph help-desk@zamcelco.com.ph



8.	BOLT, DOUBLE UPSET, 5/8" X 9", HOT DIP GALVANIZED	PCS	15
9.	BOLT, DOUBLE UPSET, 5/8" X 12", HOT DIP GALVANIZED	PCS	22
10.	BOLT, DOUBLE UPSET, 5/8" X 14", HOT DIP GALVANIZED	PCS	15
11.	BOLT, DOUBLE UPSET, 5/8" X 16", HOT DIP GALVANIZED	PCS	13
12.	BOLT, MACHINE 1/2" X 6", HOT DIP GALVANIZED		
13.	BOLT, MACHINE 1/2" X 8", HOT DIP GALVANIZED	PCS	40
14.	BOLT, MACHINE 1/2" X 10", HOT DIP GALVANIZED	PCS	23
15.	BOLT, MACHINE 5/8" X 4", HOT DIP GALVANIZED	PCS	28
16.	BOLT, MACHINE 5/8" X 6", HOT DIP GALVANIZED	PCS	58
17.	BOLT, MACHINE 5/8" X 8", HOT DIP GALVANIZED	PCS	63
18.	BOLT, MACHINE 5/8" X 9", HOT DIP GALVANIZED	PCS	125
19.	BOLT, MACHINE 5/8" X 10", HOT DIP GALVANIZED	PCS	308
20.	BOLT, MACHINE 5/8" X 12", HOT DIP GALVANIZED	PCS	210
21.	BOLT, MACHINE 5/8" X 14", HOT DIP GALVANIZED	PCS	53
22.	BOLT, MACHINE 5/8" X 18", HOT DIP GALVANIZED	PCS	75
23.	BOLT, OVAL EYE 5/8" X 10", HOT DIP GALVANIZED	PCS	164
24.	BOLT, OVAL EYE 5/8" X 12", HOT DIP GALVANIZED	PCS	140
25.	BOLT, OVAL EYE 5/8" X 14", HOT DIP GALVANIZED	PCS	100
26.	BOLT, OVAL EYE 5/8" X 16", HOT DIP GALVANIZED	PCS	80
27.	BOLT, SINGLE UPSET, 5/8" X 9", HOT DIP GALVANIZED	PCS	37
28.	GALVANIZED		48
29.	BOLT, SINGLE UPSET, 5/8" X 18", HOT DIP GALVANIZED PCS		5
30.	BOLT, THIMBLE EYE 5/8" X 9", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS 14	
31.	BOLT, THIMBLE EYE 5/8" X 10", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	10
32.	BOLT, THIMBLE EYE 5/8" X 12", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	13
33.	BOLT, THIMBLE EYE 5/8" X 14", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	13
34.	BRACE, CROSSARM, 18 DROP 60 SPAN, HOT DIP GALVANIZED	PCS	68
35.	BRACE, CROSSARM, FLAT, 28", HOT DIP GALVANIZED	PCS	65
36.	BRACE, SIDEARM, DIAGONAL, 7', STEEL, HOT DIP GALVANIZED	PCS	68
37.	BRACE, SIDEARM, STEEL 60"	PCS	88
38.	BRACKET, SECONDARY WITHOUT SPOOL	PCS	170
	BRACKET, MOUNTING FOR FUSE CUT-OUT &		VALUE OF THE PARTY
39.	ARRESTER	PCS	185
40.	CLAMP, ANCHOR BONDING, SINGLE EYE ROD, 5/8	PCS	65
41.	CLAMP, DEAD-END STRAIN, #2 ACSR	PCS	58

991-2117

0917-307-1412

management@zamcelco.com.ph help-desk@zamcelco.com.ph



42.	CLAMP, DEAD-END STRAIN, #4/0 ACSR	PCS	50
43.	CLAMP, GUY, STRAIGHT,3-BOLT, HEAVY DUTY STEEL HOT DIP GALVANIZED	PCS	150
44.	CLAMP, HOTLINE, #2-4/0 ACSR	PCS	255
45.	CLAMP, LOOP DEAD-END, #2 ACSR	PCS	60
46.	CLAMP, LOOP DEAD-END, #2/0 ACSR	PCS	138
47.	CLAMP, LOOP DEAD-END, #1/0 ACSR	PCS	95
48.	CLAMP, POLE MOUNTING ADAPTER, 5-6 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	60
49.	CLAMP, POLE MOUNTING ADAPTER, 6-7 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	60
50.	CLAMP, POLE MOUNTING ADAPTER, 7-8 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	45
51.	CLAMP, POLE MOUNTING ADAPTER, 8-9 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	38
52.	CLAMP, POLE MOUNTING ADAPTER, 9-10 HOT DIP GALVANIZED, DOUBLE SUPPORT	SETS	30
53.	CLAMP, POLE MOUNTING ADAPTER, 10-11 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	30
54.	CLAMP, POLE MOUNTING ADAPTER, 11-12 HOT DIP GALVANIZED, SINGLE SUPPORT	HOT DIP SETS 20	
55.	CLAMP, POLE MOUNTING ADAPTER, 10-11 HOT DIP GALVANIZED, DOUBLE SUPPORT	SETS	, 5
56.	CLAMP, POLE MOUNTING ADAPTER, 12-13 HOT DIP GALVANIZED, DOUBLE SUPPORT	SETS	5
57.	CLAMP, SUSPENSION, #4-#4/0 ACSR	PCS	5
58.	CLEVIS, SECONDARY, SWINGING W/O SPOOL, HOT DIP GALVANIZED	PCS	375
59.	CONNECTOR, COMPRESSION, #6-#4 ACSR RUN TO #6- #4	PCS	1,500
60.	CONNECTOR, COMPRESSION, YHO 150, #3-#1/0-TAP #6-#2	PCS	2,345
61.	CONNECTOR, COMPRESSION, YHD 200, #1/0-#2/0- TAP #6-#2	PCS	700
62.	CONNECTOR, COMPRESSION, YHD 250, #1/0-#4/0- TAP #6-#2	PCS	925
63.	CONNECTOR, COMPRESSION, YHD 300, #1/0-#2/0- TAP #1/0-#2/0	PCS	500
64.	CONNECTOR, COMPRESSION, YHD 350, #3/0-#4/0- TAP #1-#2/0	PCS	805
65.	CONNECTOR, COMPRESSION, YHD 400, #2/0-#4/0- TAP #2/0-#4/0	PCS	610
66.	CONNECTOR, WEDGE TYPE, #4/0-#4/0 ACSR		95
67.	CROSSARM, STEEL, 3"X4"X8', 3MM, HOT DIP GALVANIZED	PCS	110
68.	CROSSARM, STEEL, 3"X4"X10', 3MM, HOT DIP GALVANIZED	PCS	75

991-2117

0917-307-1412

management@zamcelco.com.ph help-desk@zamcelco.com.ph

	FUSE CUT OUT AND APPECTED COMMUNICION		
69.	FUSE, CUT-OUT AND ARRESTER COMBINATION, 15 KV, CLASS 100	SET	100
70.	FUSE, CUT-OUT AND ARRESTER COMBINATION, 15 KV, CLASS 200	SET	85
71.	INSULATOR, PIN TYPE, HDPE, ANSI, CLASS 55-4, 15KV	PCS	255
72.	INSULATOR, SPOOL, 1-3/4", ANSI, CLASS 53-2	PCS	700
73.	INSULATOR, SPOOL, 3", ANSI, CLASS 53-4	PCS	180
74.	INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15 KV	PCS	165
75.			180
76.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 12A	PCS	180
77.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 15A	PCS	180
78.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A	PCS	180
79.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A	PCS	180
80.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A	PCS	180
81.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A	PCS	180
82.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A	PCS	180
83.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A	PCS	180
84.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A	PCS	180
85.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A	PCS	180
86.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A	PCS	180
87.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A	PCS	180
88.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A	PCS	180
89.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A	PCS	180
90.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A	PCS	180
91.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A	PCS	180
92.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A	PCS	180
93.			180
94.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A		
95.	NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED	PCS 180 PCS 30	
96.	PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED	PCS 30	
97.	PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED	PCS	20
98.	PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED	PCS	40
99.	PIN. CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP		305
100.	ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP		65
101.			25
102.			1,050
103.	WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY	FT	7,550
104.	WIRE, GROUNDING, 3 STRAND, 5/16 DIA. GALVANIZED	FT	7,500

991-2117

0917-307-1412

management@zamcelco.com.ph help-desk@zamcelco.com.ph



105.	WIRE, GUY, STEEL, 3/8", 7 STRAND, HIGH STRENGTH	FT	5,100
	WIRE, TIE ALUMINUM ALLOY #4 SOFT	FT	1,950
107.	TAPE, ELECTRICAL, BIG, 16M	PCS	200

APPROVED BUDGET FOR THE CONTRACT
 SOURCE OF FUNDS
 COST OF BIDDING DOCUMENTS
 BIDDING STATUS
 : PHP 5,706,591.00
 : GENERAL FUND
 : PHP 10,000.00
 : 1<sup>5T</sup> BIDDING

### IV. Lot 4: PR-100001553 PROCUREMENT OF 3000 PCS CLASS 100KWH METERS WITH BASE

No.	Description	Unit	Required Quantity
1.	BASE, METER, CL100, 4 JAWS, 100 AMP. 600V, 1" HUB, SOCKET	PCS	3,000
2.	METER, KWH, ELECTRONIC, 1P, CL100, 2W, 240V, FM1S, SOCKET TYPE		3,000

➢ APPROVED BUDGET FOR THE CONTRACT
 □ SOURCE OF FUNDS
 □ COST OF BIDDING DOCUMENTS
 □ PHP 10,000.00
 □ BIDDING STATUS
 □ 1<sup>ST</sup> BIDDING

The schedule of the bidding activities will be as follows:

BAC ACTIVITIES	SCHEDULED DATE
Publication of Invitation to Bid	February 15, 2024 (Thursday)
<b>Availability of Bidding Documents</b>	February 15, 2024 (Thursday) to March 05, 2024 (Tuesday)
Pre-Bid Conference	February 23, 2024 (Friday)
	09:00 AM Video Conference / Face to Face
Deadline of Submission and	March 06, 2024 (Wednesday)
Receipt of Bids/ Opening of Bid	09:00AM Video Conference
Issuance of Purchase Order	Upon Posting of the Performance Bond by the Winning Bidder

- 1. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184 otherwise known as the "Government Procurement Reform Act" and the NEA Memorandum No. 2017-019 on the Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 2. Interested bidders may obtain further information from the ZAMCELCO BAC Secretariat Office and inspect the Bidding Documents at the address given below from 8:00AM to 5:00PM.



0917-307-1412 0917-302-6629

nagement@zamcelco.com.ph help-desk@zamcelco.com.ph



- A complete set of Bidding Documents may be acquired by interested Bidders on February 15, 2024 (Thursday) to March 05, 2024 (Tuesday) from the address given below or sent through electronic email upon payment of the applicable fee to be deposited at ZAMCELCO's Bank of Commerce Account No. 029-00-001214-7 and presentation of the deposit slip to the BAC Secretariat.
- 4. The ZAMCELCO will hold a Pre-Bid Conference on February 23, 2024 (Friday) 09:00 AM via Online Video Conference or Face to Face. Attendance of bidders in the pre-bid conference is optional except when specifically stated in the Invitation to Bid. Only those who have purchased the Bidding Documents shall be allowed to participate in the pre-bid conference and raise or submit written queries or clarifications.
- 5. Bids must be duly received by the BAC Secretariat through manual submission of two (2) hard copies of their sealed bid at the office address as indicated below on or before the deadline of receipt of bids on the bid opening date. Soft copy of their bids must also be received a day before the bid opening date but the password to be furnished on the bid opening.
- 6. All Bids shall be opened online and read in the presence of Bidders or their duly authorized representatives. Bidders shall be required to put up a Bid Security in the amount equivalent to 2% of the ABC. The Bid Security shall be in the form of cash or manager's check and submitted together with their Bids.
- Only those bidders who have bought the bidding documents shall be allowed to participate in the Submission and Opening of Bids.
- ZAMCELCO reserves the right to accept or reject any bid, to annul the bidding process, and to
  reject all bids at any time prior to the awarding of contract, thereby without incurring any liability
  to the affected bidder or bidders.
- 9. For further information, please refer to:

ZAMBOANGA CITY ELECTRIC COOPERATIVE, INC.

MCLL Highway, Brgy. Putik, Zamboanga City

SECRETARIAT

Contact No.: +63917-166-8962 Tel. No.: (062) 991-2117 Local 8640 Email Address: <u>zbac@zamcelco.com.ph</u>

BAC Peccetariat Head

Find bayma ENGR. JOSEPH A. BAZAN Chairman, BAC

991-2117

0917-307-1412

629

management@zamcelco.com.ph help-desk@zamcelco.com.ph

